

**DROP'L DO
LUBRICANT**

<u>Product and Company Identification</u>	<u>Physical and Chemical Properties</u>
<u>Composition/Information on Ingredients</u>	<u>Stability and Reactivity</u>
<u>Hazards Identification</u>	<u>Toxicological Information</u>
<u>First Aid Measures</u>	<u>Ecological Information</u>
<u>Fire Fighting Measures</u>	<u>Disposal Considerations</u>
<u>Accidental Release Measures</u>	<u>Transport Information</u>
<u>Handling and Storage</u>	<u>Regulatory Information</u>
<u>Exposure Controls/Personal Protection</u>	<u>Other Information / Hazmat Info / Hazcom Label</u>

**MSDS Safety Information**

FSC: 9150
 MSDS Date: 11/04/1994
 MSDS Num: BYWTK
 Submitter: N EN
 LIIN: 00N063332
 Tech Review: 09/07/1995
 Status CD: C
 MFN: 01
 Article: N
 Kit Part: N
 Responsible Party: LUBEC
 Name: LUBECON SYSTEMS INC
 Address: 6735 WEST 64TH ST
 Box: 589
 City: FREMONT
 State: MI
 Zip: 49412-0589
 Country: US

Info Phone Number 616-924-0653
Emergency Phone Number 616-924-0653
Preparer's Name: L G MYERS
Proprietary Ind: N
Review Ind: N
Published: Y
Special Project CD: N
Cage: 46607
Address: 6735 W 64TH ST
City: FREMONT
State: MI
Zip: 49412-0589
Country: US
Phone: 616-924-0653

Cage: LUBEC
Address: 6735 W 64TH STREET
Box: N/K
City: FREMONT
State: MI
Zip: 49412
Country: NK
Phone: (616) 924-0653

Ingredients

Cas: 8042-47-5
Code: M
RTECS #: PY8047000
Code: M
Environmental Wt:
Other REC Limits: N/K
OSHA PEL: N/K (FP N)
Code: M
Code:
Code: M
Code:
Ozone Depleting Chemical: N

Cas:	64742-48-9
Code:	M
RTECS #:	1005643NS
Code:	M
Environmental Wt:	
Other REC Limits:	N/K
OSHA PEL:	N/K (FP N)
Code:	M
Code:	
Code:	M
Code:	
Ozone Depleting Chemical:	N

Cas:	103-24-2
Code:	M
RTECS #:	CM2000000
Code:	M
Environmental Wt:	
Other REC Limits:	N/K
OSHA PEL:	N/K (FP N)
Code:	M
Code:	
Code:	M
Code:	
Ozone Depleting Chemical:	N

Cas:	61788-61-2
Code:	M
RTECS #:	1008167ME
Code:	M
Environmental Wt:	
Other REC Limits:	N/K
OSHA PEL:	N/K (FP N)
Code:	M
Code:	
Code:	M
Code:	
Ozone Depleting Chemical:	N

Cas:	1317-33-5
Code:	M
RTECS #:	QA4697000
Code:	M
Environmental Wt:	
Other REC Limits:	N/K
OSHA PEL:	5 MG MO/M3
Code:	M
Code:	
Code:	M
Code:	
Ozone Depleting Chemical:	N

Cas:	128-37-0
Code:	M
RTECS #:	GO7875000
Code:	M
Environmental Wt:	
Other REC Limits:	N/K
OSHA PEL:	10 MG/M3
Code:	M
Code:	
Code:	M
Code:	
Ozone Depleting Chemical:	N

Cas:	9036-19-5
Code:	M
RTECS #:	RI0175000
Code:	M
Environmental Wt:	
Other REC Limits:	N/K
OSHA PEL:	N/K (FP N)
Code:	M
Code:	
Code:	M
Code:	
Ozone Depleting Chemical:	N

Health Hazards Data

LD50 LC50 Mixture	NONE SPECIFIED BY MANUFACTURER.
Route Of Entry Inds - Inhalation:	YES
Skin:	YES
Ingestion:	YES
Carcinogenicity Inds - NTP:	NO
IARC:	NO
OSHA:	NO
Health Hazards Acute And Chronic	ACUTE: EYES: IRRITANT. SKIN: IRRITANT. INGESTION: NAUSEA, DO NOT INDUCE VOMITING. INHALATION: PROLONGED BREATHING OF CONCENTRATED FUMES OR VAPORS MAY CAUSE HEADACHE, DIFFICULTY BREATHING, EVEN UNCONSCIOUSNESS. CHRONIC: NONE SPECIFIED BY MANUFACTURER.
Explanation Of Carcinogenicity	NOT RELEVANT.
Signs And Symptions Of Overexposure	SEE HEALTH HAZARDS.
Medical Cond Aggravated By Exposure	NONE SPECIFIED BY MANUFACTURER.

First Aid

EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. SKIN: REMOVE SOAKED CLOTHING. WASH SKIN WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING. SEEK MEDICAL HELP. INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN IF BREATHING IS LABORED OR UNCON SCIOUS.

Spill Release Procedures

CONTAIN AND RECOVER. IF LARGE SPILL,

SHUT OFF ALL OPEN FLAMES BEFORE
ATTEMPTING CLEAN-UP AND AVOID
SPARKS OR ARCS, VENTILATOR WILL USE
NIOSH/MSHA APPROVED SCBA.

Neutralizing Agent

NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods**Handling and Storage Precautions****Other Precautions**

NONE SPECIFIED BY MANUFACTURER.

Fire and Explosion Hazard Information

Flash Point Method:	TCC
Flash Point:	
Flash Point Text:	109F,43C
Autoignition Temp:	
Autoignition Temp Text:	N/A
Lower Limits:	0.9%
Upper Limits:	7.0%
Extinguishing Media	USE FOAM, WATER, FOG, DRY CHEMICAL, CARBON DIOXIDE.
Fire Fighting Procedures	WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N). AVOID BREATHING OF VAPORS.
Unusual Fire/Explosion Hazard	USED CONTAINERS CONSIDERED "EMPTY" MAY CONTAIN SUFFICIENT RESIDUE TO BE HAZARDOUS IF EXPOSED TO FLAME, SUCH AS A CUTTING TORCH.

Control Measures

Ventilation	NONE SPECIFIED BY MANUFACTURER.
Protective Gloves	OIL IMPERVIOUS GLOVES IF NEEDED.
Eye Protection	ANSI APPRVD CHEM WORKERS GOGGS (FP

	N).
Other Protective Equipment	EMERGENCY EYEWASH & DELUGE SHOWER MEETING ANSI DESIGN CRITERIA (FP N).
Work Hygienic Practices	NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health	NONE SPECIFIED BY MANUFACTURER.

Physical/Chemical Properties

HCC:
NRC/State LIC No:
Net Prop WT For Ammo:
Boiling Point:
B.P. Text: 340F,171C

Reactivity Data

Stability Indicator: YES
Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.
Materials To Avoid: STRONG OXIDIZING AGENTS, SUCH AS
CONCENTRATED OXYGEN OR CHLORINE.
Hazardous Decomposition Products: SMOKE, CARBON MONOXIDE, CARBON
DIOXIDE, FUMES AND VAPORS CONAINING
MOLYBDENUM, PHOSPHOROUS, SULFUR.
Hazardous Polymerization Indicator: NO

Toxicological Information

Toxicological Information: N/P

Ecological Information

Ecological: N/P

MSDS Transport Information**Transport Information:** N/P**Regulatory Information****Sara Title III Information:** N/P**Federal Regulatory
Information:** N/P**State Regulatory Information:** N/P**Other Information****Other Information:** N/P**HMIS HAZCOM Label**

Product Name:	DROP'L DO LUBRICANT
Cage:	<u>LUBEC</u>
Assigned IND:	Y
Company Name:	LUBECON SYSTEMS INC
Street:	6735 W 64TH STREET
PO Box:	N/K
City:	FREMONT
State:	MI
Zipcode:	49412
Country:	NK
Health Emergency Phone:	616-924-0653
Label Required IND:	Y
Date Of Label Review:	09/07/1995
Status Code:	C
MFG Label NO:	
Label Date:	09/07/1995
Year Procured:	N/K
Origination Code:	G
Chronic Hazard IND:	N

Eye Protection IND:	YES
Skin Protection IND:	YES
Signal Word:	WARNING
Respiratory Protection IND:	YES
Health Hazard:	Moderate
Contact Hazard:	Moderate
Fire Hazard:	Moderate
Reactivity Hazard:	None

This information is derived from the Hazardous Material Information System which is utilized by the U.S. Department of Defense. IntraWEB, LLC and its Distributors in no manner whatsoever, expressly or implied warrants, states, or intends said information to have any application use or viability by or to any person or persons. Any person utilizing this information should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.