



DRIONE® INSECTICIDE

Version 3.0 / USA
102000002537

1/11
Revision Date: 12/11/2014
Print Date: 04/28/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name DRIONE® INSECTICIDE

Product code (UVP) 05938473

SDS Number 102000002537

EPA Registration No. 432-992

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577 (24 hours/day)

Product Information Telephone Number 1-800-331-2867

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Other hazards

No particular hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Pyrethrins including cinerins	8003-34-7	1.00
Piperonyl butoxide	51-03-6	10.00
Silica, amorphe	7631-86-9	40.00



DRIONE® INSECTICIDE

Version 3.0 / USA
102000002537

2/11
Revision Date: 12/11/2014
Print Date: 04/28/2015

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms	Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea., Ingestion of larger amounts may cause defects to the central nervous system (e.g. dizziness, headache).
-----------------	---

Indication of any immediate medical attention and special treatment needed

Risks	Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.
Treatment	Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable	Carbon dioxide (CO ₂), Dry chemical, Foam, Water
Unsuitable	None known.



DRIONE® INSECTICIDE

Version 3.0 / USA
102000002537

3/11
Revision Date: 12/11/2014
Print Date: 04/28/2015

Special hazards arising from the substance or mixture	Dangerous gases are evolved in the event of a fire.
Advice for firefighters	
Special protective equipment for fire-fighters	Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing. In the event of fire and/or explosion do not breathe fumes.
Further information	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
Flash point	not applicable
Autoignition temperature	no data available
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Explosivity	no data available
Dust explosion class	no data available

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Remove all sources of ignition. Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.
Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation. Handle and open container in a manner as to prevent spillage.



DRIONE® INSECTICIDE

Version 3.0 / USA
102000002537

4/11
Revision Date: 12/11/2014
Print Date: 04/28/2015

Advice on protection against fire and explosion

Take measures to prevent the build up of electrostatic charge.

Hygiene measures

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Pyrethrins including cinerins	8003-34-7	5 mg/m3 (TWA)		OES BCS*
Pyrethrins including cinerins	8003-34-7	5 mg/m3 (TWA)	02 2012	ACGIH
Pyrethrins including cinerins	8003-34-7	5 mg/m3 (REL)	2010	NIOSH
Pyrethrins including cinerins	8003-34-7	5 mg/m3 (PEL)	02 2006	OSHA Z1
Pyrethrins including cinerins	8003-34-7	5 mg/m3 (TWA)	1989	OSHA Z1A
Pyrethrins including cinerins	8003-34-7	5 mg/m3 (TWA)	06 2008	TN OEL
Pyrethrins including cinerins	8003-34-7	50ug/m3 (ST ESL)	07 2011	TX ESL
Pyrethrins including cinerins	8003-34-7	5ug/m3 (AN ESL)	07 2011	TX ESL
Pyrethrins including cinerins	8003-34-7	5 mg/m3 (TWA PEL)	08 2010	US CA OEL
Piperonyl butoxide	51-03-6	500 ppm (TWA)		OES BCS*
Silica, amorphe	7631-86-9	6 mg/m3 (REL)	2010	NIOSH
Silica, amorphe (Particulate.)	7631-86-9	27ug/m3 (ST ESL)	02 2013	TX ESL
Silica, amorphe (Particulate.)	7631-86-9	2ug/m3 (AN ESL)	02 2013	TX ESL
Silica, amorphe	7631-86-9	0.8 mg/m3	2000	Z3



DRIONE® INSECTICIDE

Version 3.0 / USA
102000002537

5/11
Revision Date: 12/11/2014
Print Date: 04/28/2015

		(TWA)		
Silica, amorphe	7631-86-9	20millions of particles per cubic foot of air (TWA)	2000	Z3
Distillates (petroleum), hydrotreated light (Non-aerosol.)	64742-47-8	200 mg/m3 (TWA)	02 2012	ACGIH
Distillates (petroleum), hydrotreated light (Non-aerosol.)	64742-47-8	200 mg/m3 (TWA)	02 2012	ACGIH
Distillates (petroleum), hydrotreated light	64742-47-8	100 mg/m3 (REL)	2010	NIOSH
Distillates (petroleum), hydrotreated light	64742-47-8	350ug/m3 (AN ESL)	07 2011	TX ESL
Distillates (petroleum), hydrotreated light	64742-47-8	3500ug/m3 (ST ESL)	07 2011	TX ESL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
Hand protection	Chemical resistant nitrile rubber gloves
Eye protection	Tightly fitting safety goggles
Skin and body protection	Wear long-sleeved shirt and long pants and shoes plus socks.
General protective measures	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	white to light yellow
Physical State	powder
Odor	very faint
Odour Threshold	no data available
pH	no data available



DRIONE® INSECTICIDE

Version 3.0 / USA
102000002537

6/11
Revision Date: 12/11/2014
Print Date: 04/28/2015

Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Bulk density	12.2 lb/ft³
Evaporation rate	not applicable
Boiling Point	not applicable
Melting / Freezing Point	not applicable
Water solubility	insoluble
Minimum Ignition Energy	no data available
Decomposition temperature	no data available
Partition coefficient: n-octanol/water	no data available
Viscosity	not applicable
Flash point	not applicable
Autoignition temperature	no data available
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Explosivity	no data available
Dust explosion class	no data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition	no data available
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
Conditions to avoid	Exposure to moisture.
Incompatible materials	no data available
Hazardous decomposition products	No decomposition products expected under normal conditions of use.



DRIONE® INSECTICIDE

Version 3.0 / USA
102000002537

7/11
Revision Date: 12/11/2014
Print Date: 04/28/2015

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes	Eye contact, Skin Absorption, Ingestion, Inhalation
Immediate Effects	
Eye	Moderate eye irritation.
Skin	Harmful if absorbed through skin. May cause slight irritation.
Ingestion	Ingestion of large amounts may be harmful (see Signs and Symptoms).
Inhalation	Inhalation may cause irritation of nasal passages.
Information on toxicological effects	
Acute oral toxicity	LD50 (rat) > 5,000 mg/kg
Acute inhalation toxicity	LC50 (rat) > 5.4 mg/l Exposure time: 4 h Determined in the form of dust. LC50 (rat) > 20 mg/l Exposure time: 1 h Determined in the form of dust. Extrapolated from the 4 hr LC50.
Acute dermal toxicity	LD50 (rabbit) > 2,000 mg/kg
Skin irritation	Slight irritation (rabbit)
Eye irritation	Mild eye irritation. (rabbit)
Sensitisation	Non-sensitizing. (guinea pig) OECD Test Guideline 406, Buehler test
Repeated dose toxicity	Chronic toxicity

Assessment repeated dose toxicity

Pyrethrin did not cause specific target organ toxicity in experimental animal studies.
Piperonyl butoxide did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Pyrethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Piperonyl butoxide was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Pyrethrin was not carcinogenic in lifetime feeding studies in rats and mice.
Piperonyl butoxide was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

Pyrethrins including cinerins 8003-34-7 Group A4

NTP

None.

IARC



DRIONE® INSECTICIDE

Version 3.0 / USA
102000002537

8/11
Revision Date: 12/11/2014
Print Date: 04/28/2015

Piperonyl butoxide
Silica, amorphe

51-03-6
7631-86-9

Overall evaluation: 3
Overall evaluation: 3

OSHA

None.

Assessment toxicity to reproduction

Pyrethrin did not cause reproductive toxicity in a two-generation study in rats.
Piperonyl butoxide did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

Pyrethrin did not cause developmental toxicity in rats and rabbits.
Piperonyl butoxide did not cause developmental toxicity in rats and rabbits.

Further information

Only acute toxicity studies have been performed on the formulated product.
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Biodegradability	Pyrethrin: ; not rapidly biodegradable Piperonyl butoxide: ; not rapidly biodegradable
Koc	Pyrethrin: Koc: 12472 - 74175 Piperonyl butoxide: Koc: 399 - 830
Bioaccumulation	Pyrethrin: Bioconcentration factor (BCF) 471; Does not bioaccumulate. Piperonyl butoxide: ; Potential bioaccumulation
Mobility in soil	Pyrethrin: Immobile in soil Piperonyl butoxide: Moderately mobile in soils
Environmental precautions	Do not allow to get into surface water, drains and ground water. Do not apply when weather conditions favor runoff or drift. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Do not contaminate water, food, or feed by disposal. Follow container label instructions for disposal of wastes generated during use in compliance with the product label.
----------------	---

Bayer Environmental Science

SAFETY DATA SHEET



DRIONE® INSECTICIDE

Version 3.0 / USA
102000002537

9/11
Revision Date: 12/11/2014
Print Date: 04/28/2015

	Never place unused product down any indoor or outdoor drain.
Contaminated packaging	Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR

UN number	3077
Class	9
Packaging group	III
Marine pollutant	Marine pollutant
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID, N.O.S. (PYRETHRINS)
RQ	Reportable Quantity is reached with 100 lb of product.

IMDG

UN number	3077
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PYRETHRINS MIXTURE)

IATA

UN number	3077
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (PYRETHRINS MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification:	INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON
-------------------------	---



DRIONE® INSECTICIDE

Version 3.0 / USA
102000002537

10/11
Revision Date: 12/11/2014
Print Date: 04/28/2015

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-992

US Federal Regulations

TSCA list

Piperonyl butoxide 51-03-6
Silica, amorphe 7631-86-9

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)
None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Piperonyl butoxide 51-03-6 1.0%

US States Regulatory Reporting

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Pyrethrins including cinerins	8003-34-7	CA, CT, MN, RI
Piperonyl butoxide	51-03-6	NJ
Silica, amorphe	7631-86-9	CA, MN

Canadian Regulations

Canadian Domestic Substance List

Pyrethrins including cinerins	8003-34-7
Piperonyl butoxide	51-03-6
Silica, amorphe	7631-86-9

Environmental

CERCLA

Pyrethrins including cinerins	8003-34-7	1 lbs
-------------------------------	-----------	-------

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

International Regulations

European Inventory of Existing Commercial Substances (EINECS)

Pyrethrins including cinerins	8003-34-7
Piperonyl butoxide	51-03-6
Silica, amorphe	7631-86-9

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Bayer Environmental Science

SAFETY DATA SHEET



DRIONE® INSECTICIDE

Version 3.0 / USA
102000002537

11/11
Revision Date: 12/11/2014
Print Date: 04/28/2015

Signal word: Caution!

Hazard statements: Harmful if absorbed through skin.
Moderate eye irritation.
Avoid contact with skin, eyes and clothing.
Avoid breathing dust.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 2 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 2 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

Revision Date: 12/11/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.



Drione®

INSECTICIDE

- RECOMMENDED FOR INDUSTRIAL/COMMERCIAL USE
- A DESICCANT DUST
- PROVIDES QUICK CONTROL
- KILLS UP TO 6 MONTHS WHEN LEFT UNDISTURBED
- NON-STAINING AND RELATIVELY ODORLESS
- FOR USE IN RESIDENCES, INSTITUTIONS, FOOD PLANTS, AND GRANARIES
- CONTROLS ANTS, COCKROACHES, SILVERFISH, BEDBUGS, FLEAS, LICE, BEES, AND AS STIPULATED IN THE USE DIRECTIONS, ON NUMEROUS STORED PRODUCT PESTS AND TO PROTECT AGAINST ENTRANCE OF DRYWOOD TERMITES.

ACTIVE INGREDIENTS:

Pyrethrins:	1.0%
* Piperonyl Butoxide	10.0%
Amorphous Silica Gel:	40.0%
** OTHER INGREDIENTS:	49.0%
TOTAL:	100.0%

* (butylcarbityl) (6-propylpiperonyl) ether and related compounds.

** Contains Petroleum Distillate

EPA Reg No. 432-992


**KEEP OUT OF
REACH OF CHILDREN
CAUTION**

Net Contents

1 Pound

04191241 04490818E 141014AV1

Ants • Bedbugs • Wasps



For MEDICAL and TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-800-331-2867

FIRST AID	
If on skin or clothing:	• Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15 - 20 minutes. • Call a poison control center or doctor for treatment advice.
If in eyes:	• Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If swallowed	• Immediately call a poison control center or doctor. • Do not give any liquid to the person. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER: 1-800-331-2867 [Pyrethroid]	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Loaders, applicators and other handlers must wear the following:

- Long-sleeved shirt and long pants,
- Shoes and socks; and
- Chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber, or viton.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

USER SAFETY RECOMMENDATIONS

- Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product may contaminate water through runoff. This product has a potential for runoff for several weeks after application. Poorly draining soils and soils with shallow water tables are more prone to produce runoff that contains this product.

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-waters or rinsate.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PRECAUTIONS AND RESTRICTIONS

- Do not enter or allow others to enter until dusts have settled.
- Remove and cover exposed food and drinking water before application.
- Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use.
- Except when applying to sewers or drains as instructed on this label, do not apply directly to sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur.
- Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.
- Aerial applications are prohibited.
- Applications with power duster equipment are prohibited.
- Only apply as a spot treatment to areas no greater than 2 feet by 2 feet per room.
- Do not use in aircraft cabins.

APPLICATIONS WITHIN FOOD AREAS: For use in and around food processing plants and warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and poultry processing plants, hotels, motels, hospitals, and schools.

LIMITED TO CRACK AND CREVICE TREATMENT ONLY: Using a bulbous duster, apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housings, junction boxes or switch boxes, conduits or hollow equipment legs where **Cockroaches, Ants, Silverfish, Spiders, Boxelder Bugs, and Crickets** hide. Care should

be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

NON-FOOD AREAS: For use in and around homes, institutions, hospitals, office buildings, hotels, motels, theaters, schools, warehouses, truck trailers, and railroad cars.

To control crawling insects such as **Ants, Cockroaches, Silverfish, Firebrats, Spiders, Boxelder Bugs, Ticks, Lice, and Fleas** in animal quarters, distribute Drione® Insecticide at the rate of 2 oz/100 sq ft of surface area. Apply a continuous visible film underneath and behind stairs, refrigerators and appliances. Treat on, around and behind moldings, shelving, baseboards, pipe openings, cracks, crevices, and other areas where insects hide. For severe infestations, apply Drione Insecticide behind cabinets and walls, in crawlspaces and attics at the rate of 16 oz/1,000 sq ft of surface area. Repeat treatment as necessary.

STORED PRODUCT PESTS: To aid in the control of **Cadelles, Cheese Mites, Cigarette Beetles, Confused Flour Beetles, Dark Mealworms, Drugstore Beetles, Grain Mites, Granary Weevils, Red Flour Beetles, Rice Weevils, Sawtoothed Grain Beetles, and Yellow Mealworms** in mills, elevators and granaries. Clean up waste materials, dust, dirt, and any other debris. Thoroughly treat floors, walls and other surfaces in bins, storage and handling areas. Apply into cracks and crevices and other difficult to reach areas where insects may hide.

BEEES AND WASPS: It is generally advisable to treat **Wasp** and **Bee** nests in the evening when insects are less active and have returned to the nest. Using hand duster or other suitable means, with extension tubes if necessary, thoroughly dust nest and entrance and surrounding areas where insects alight. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in, and reseal. For best results check nests carefully one or two days after treatment to ensure complete kill, then remove and destroy nest to prevent emergence of newly hatched insects. If removal is not feasible, retreat the nest if necessary. Care should be taken when treating overhead nests so that neither the product nor the nest falls on people standing below.

SEWER TREATMENTS: **American and Oriental Cockroach** infestations in sanitary sewers maybe treated with approximately 6 ounces of Drione Insecticide per manhole. When treating sewers, one manhole per 200 feet of line should be treated. Treatments are made by removing the manhole cover and replacing with a disc of plywood bored to receive the usual flexible hose from portable or truck-mounted ventilating equipment. Six ounces of Drione Insecticide is introduced into the ventilating air to be dispersed quickly and thoroughly through the system.

BEDBUGS: Take bed apart. Dust into joints and channels. If hollow, such as square or round tubing, see that the interior of framework is well dusted. Mattresses should be dusted, especially tufts, folds, and edges. Picture frame moldings and all cracks and crevices in the room should be treated.

DRYWOOD TERMITES: To protect against entrance, using a hand operated rotary duster, distribute Drione Insecticide through an entry, e.g. crawl hole into attic and crawl space of building, at a rate of 1 lb/1,000 sq ft of floor area. All vents and blowers on the wind-ward side should be closed. All wood surfaces should be covered. In case of localized infestations probe to locate galleries and drill holes to inject Drione Insecticide into the galleries. If reasonably heavy infestation has already developed, fumigation should be employed.

FLEAS: Surfaces of kennels should be dusted at the rate of one oz/50 sq ft. Heavily infested lawns, basements, and crawl spaces should be dusted at the rate of 16 oz/1,000 sq ft. Repeat as necessary.

SOWBUGS, PILLBUGS, GROUND BEETLES, EARWIGS, MILLIPEDES, CENTIPEDES, AND SCORPIONS: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original sealed container in a cool, dry place inaccessible to children and pets.

CONTAINER HANDLING: If empty: Non-refillable container. Do not reuse or refill this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once.

By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability.

CONDITIONS: The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Bayer CropScience LP. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. No agent of Bayer CropScience LP is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, BAYER CROPSCIENCE LP DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

LIMITATIONS OF LIABILITY: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT BAYER CROPSCIENCE LP'S ELECTION, THE REPLACEMENT OF PRODUCT.

Bayer (reg'd), the Bayer Cross (reg'd), Drione® and Backed by Bayer™ are trademarks of Bayer.

Bayer

Produced for:
Bayer Environmental Science
A Division of Bayer CropScience LP
2 T. W. Alexander Drive
Research Triangle Park, NC
27709

For MEDICAL and TRANSPORTATION Emergencies ONLY Call 24 Hours A Day 1-800-334-7577
For PRODUCT USE Information Call 1-800-331-2867

FIRST AID	
If on skin or clothing:	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15 - 20 minutes. - If a person could become exposed to the product, wash with water for 15 - 20 minutes.
If in eyes:	- Hold eyes open and flush with plenty of water for 15 - 20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for treatment advice.
If swallowed:	- Immediately call a poison control center or doctor. - Do not give anything by mouth to a person. - Do not induce vomiting unless told to by a poison control center or doctor. - Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER (PYRETHROID)	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
NOTE TO PHYSICIAN: Contains picrotoxin distillate. Vomiting may cause aspiration pneumonia.	

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Irritant if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic organisms, including fish and invertebrates. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. The product may contaminate water through runoff. Do not apply directly to water, to areas where surface water is present or to floodable areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-water or rinsate. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.



Produced for:
Bayer Environmental Science
A Division of Bayer CropScience LP
2 T.W. Alexander Drive
Research Triangle Park, NC 27709

**BACKED
by BAYER.**



Drione® INSECTICIDE

- RECOMMENDED FOR INDUSTRIAL/COMMERCIAL USE
- PROVIDES QUICK CONTROL
- KILLS UP TO 6 MONTHS WHEN LEFT UNDISTURBED
- NON-STAINING AND RELATIVELY ODORLESS
- FOR USE IN RESIDENCES, INSTITUTIONS, FOOD PLANTS, AND GRANARIES
- CONTROLS ANTS, COCKROACHES, SILVERFISH, BEDBUGS, FLEAS, LICE, BEES, AND AS STIPULATED IN THE USE DIRECTIONS, ON NUMEROUS STORED PRODUCT PESTS AND TO PROTECT AGAINST ENTRANCE OF DRYWOOD TERMITES.

ACTIVE INGREDIENTS:

Pyrethrin	10%
Piperonyl Butoxide	10.0%
Americious Silica Gel	100%
OTHER INGREDIENTS	49.0%
TOTAL	100.0%

Contains (S)-propylphenyl ether and related compounds.

EPA Reg No. 432-992

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See inside label for complete First Aid Instructions, Precautions, Statements, Directions for Use and Storage and Disposal Instructions.

Net Contents

1 Pound

04191241

04490019E 141014AV1

PULL HERE TO OPEN